



INTERIOR HANDRAIL OPTIONS

OVERVIEW

The Sales Department would like to inform the dealer network that we have added and updated our interior handrail options in SQS2. These new options are in reference to what is currently being installed but with further clarification. Please refer to the details below on these particular options.


27025000 HANDRAILS, CAB INTERIOR, BLACK RUBBER COATED (2) FRONT ENTRY

There shall be two (2) rubber coated grab handles provided and mounted on the interior of the cab, one each side, on the windshield post for ingress assistance. The handrail on the driver's side shall be approximately 11" long and the handrail on the officer's side shall be approximately 18" long.

DRIVER'S SIDE



OFFICER'S SIDE





INTERIOR HANDRAIL OPTIONS

CONTINUED

27025495 HANDRAILS, CAB INTERIOR, BLACK RUBBER COATED (1) REAR ENTRY

There shall be one (1) rubber coated grab handle provided and mounted on the interior of the rear crew cab area for ingress assistance. This handrail shall be installed at the entry point that does not have an exterior handrail. The handrail shall be approximately 11" long.

27025500 HANDRAILS, CAB INTERIOR, BLACK RUBBER COATED (2) REAR ENTRY

There shall be two (2) rubber coated grab handles provided and mounted one each side on the interior of the rear crew cab area for ingress assistance. The handrails shall be approximately 11" long.



These option will only appear in SQS2 if you have selected the 2 or 3 Exterior Handrail options. Per NFPA we must provide a grab handrail at each entry point Please be aware that the grab handrail mounted on the interior of the door does not count as it is mounted to a movable object.



INTERIOR HANDRAIL OPTIONS

CONTINUED

27030100 HANDRAILS, REAR CAB INTERIOR DOOR, BLACK RUBERIZED (2)

There shall be two (2) rubber coated grab handles provided and mounted, one on the inside of each rear crew door, just below the windowsill. The handrails shall be approximately 11" long.



27030110 HANDRAILS, REAR CAB INTERIOR DOOR, KNURLED STS AT WINDOW (2)

There shall be two (2) 1.25" diameter knurled stainless steel handrails shall be provided and mounted, one on the inside of each rear crew door, just above the windowsill. The handrails shall be approximately 22" long.





INTERIOR HANDRAIL OPTIONS

CONTINUED

27030120 HANDRAILS, REAR CAB INTERIOR DOOR, BLACK RUBERIZED (2)
AND KNURLED STS AT WINDOW (2)

There shall be two (2) rubber coated grab handles provided and mounted, one on the inside of each rear crew door, just below the windowsill. The handrails shall be approximately 11" long.

There shall also be two (2) 1.25" diameter knurled stainless steel handrails shall be provided and mounted, one on the inside of each rear crew door, just above the windowsill. The handrails shall be approximately 22" long.



If you have any questions on configurations or options please contact your STM for further details.