




|       | Le      | ft Side Compar     | tmentation       |               |
|-------|---------|--------------------|------------------|---------------|
| Compt | Doors   | Opening Dimensions | Inside Dimension | ns Volume     |
|       |         |                    |                  |               |
| L1    | Roll Up | 26×54.5            | 30×59×24.25      | 24.8 CU FT    |
| L2    | Roll Up | 56×23.5            | 60×28×23.25      | 23.6 CU FT    |
| L3    | Roll Up | 46×54.5            | 48×59×23.25      | 39.7 CU FT    |
|       | Riç     | ght Side Compar    | ^tmentation      |               |
| Compt | Doors   | Opening Dimensions | Inside Dimension | ns Volume     |
|       |         |                    |                  |               |
| R1    | Roll Up | 26×54.5            | 30×59×24.25/10.2 | 25 17.8 CU FT |
| R2    | Roll Up | 56×23.5            | 60×28×24.25/10.2 | 25 10 CU FT   |
| R3    | Roll Up | 46×54.5            | 48×59×24.25/10.2 | 25 28.5 CU FT |
|       |         | Rear Compartm      | nentation        |               |
| Compt | Doors   | Opening Dimensions | Inside Dimension | ns Volume     |
|       |         |                    |                  |               |
| A1    | Roll Up | 44×31.5            | 48×36×21.25      | l 22.2 CU FT  |

Total Volume






| DIMENSIONS SHOWN ON THIS DRAWING ARE APPROXIMATE AND ARE SUBJECT TO MINOR DEVIATIONS DURING CONSTRUCTION. |       | CUSTOMER APPROVAL |      |  |           |      | DRAWN BY:<br>J. Gordon | N:\Engineering\Sutphen\sutphen-logo-big.png |
|---|-------|-------------------|------|--|-----------|------|------------------------|---|
| SUTPHEN SPECIFICATIONS AND DRAWING, THE   | NAME: |                   |      |  |           |      | DATE:                  | PS-02 Body                                  |
| DRAWING IS FOR REFERENCE ONLY. SOME ITEMS PROPOSED MAY NOT BE SHOWN OR NOTED.                             | DATE: |                   | REV. | DESCRIPTION  THIS PRINT IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTEREST OF SUTPHEN CORPOR | BY ATION. | DATE | SUTPHEN EAST           | Stainless Steel<br>DWG.NO.: HS-XXXX         |




|       | Le      | ft Side Compar     | rtmentation       |            |  |  |
|-------|---------|--------------------|-------------------|------------|--|--|
| Compt | Doors   | Opening Dimensions | Inside Dimensions | Volume     |  |  |
| L1    | Roll Up | 26×54.5            | 30×59×24.25       | 24.8 CU FT |  |  |
| L2    | Roll Up | 56×23.5            | 60×28×23.25       | 23.6 CU FT |  |  |
| L3    | Roll Up | 46×54.5            | 48×59×23.25       | 41.4 CU FT |  |  |
|       | Riç     | ght Side Compai    | ^tmentation       |            |  |  |
| Compt | Doors   | Opening Dimensions | Inside Dimensions | Volume     |  |  |
| R1    | Roll Up | 26×54.5            | 30×59×24.25/10.25 | 17.8 CU FT |  |  |
| R2    | Roll Up | 56×23.5            | 60×28×24.25/10.25 | 10 CU FT   |  |  |
| R3    | Roll Up | 46×54.5            | 48×59×24.25/10.25 | 28.5 CU FT |  |  |
|       |         | Rear Compartm      | nentation         |            |  |  |
| Compt | Doors   | Opening Dimensions | Inside Dimensions | Volume     |  |  |
| A1    | Roll Up | 44×31.5            | 48×36×21.25       | 22.2 CU FT |  |  |
|       | l       | Coffin Compart     | mentation         |            |  |  |
| Compt | Doors   | Opening Dimensions | Inside Dimensions | Volume     |  |  |
|       | Hatch   | 60×22              | 137×23×20         | 36.5 CU FT |  |  |
|       | Hatch   | 60×22              | 137×23×20         | 36.5 CU FT |  |  |
|       |         |                    | То                | tal Volume |  |  |

239.6 CU Ft





| DIMENSIONS SHOWN ON THIS DRAWING ARE APPROXIMATE AND ARE SUBJECT TO MINOR |        | CUSTOMER APPROVAL |      |   |        |      | DRAWN BY:  J. Gordon |           | N:\Engineering\Sutphen\sutphen-logo-big.png          |   |
|---|--------|-------------------|------|---|--------|------|----------------------|-----------|--|---|
| DEVIATIONS DURING CONSTRUCTION.   |        |                   |      |   |        |      | U. GOIGON            |           | N. CENGINEERING (Suitphen (Suitphen (Cogo - big.prig | • |
| IN THE EVENT OF A DISCREPANCY BETWEEN THE                                 | NAME:  |                   |      |   |        |      | DATE:                |           |  |   |
| SUTPHEN SPECIFICATIONS AND DRAWING, THE                                   |        |                   |      |   |        |      | 06/24/15             |           | PS-03 Body   |   |
| SUTPHEN SPECIFICATIONS SHALL PREVAIL.                                     | TITLE: |                   |      |   |        |      |                      |           |  |   |
|   |        |                   |      |   |        |      | MFG. FACILITY:       |           |  |   |
| DRAWING IS FOR REFERENCE ONLY. SOME ITEMS                                 | DATE:  |                   | REV. | DESCRIPTION   | BY     | DATE | SUTPHEN EAST         |           | Stainless Steel                                      |   |
| PROPOSED MAY NOT BE SHOWN OR NOTED.                                       | DATE:  |                   |      | THIS PRINT IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTEREST OF SUTPHEN CORPOR | ATION. |      | WHITE LAKE, NY       | DWG. NO.: | HS-XXXX  |   |




|       |         | ž.                 |                   |            |
|-------|---------|--------------------|-------------------|------------|
|       | Le      | ft Side Compar     | rtmentation       |            |
| Compt | Doors   | Opening Dimensions | Inside Dimensions | Volume     |
| L1    | Roll Up | 36×54.5            | 40×59×24.25       | 33.1 CU FT |
| L2    | Roll Up | 56×23.5            | 60×28×23.25       | 23.6 CU FT |
| L3    | Roll Up | 46×54.5            | 39.7 CU FT        |            |
|       | Rig     | ght Side Compar    | ~tmentation       |            |
| Compt | Doors   | Opening Dimensions | Inside Dimensions | Volume     |
| R1    | Roll Up | 36×54.5            | 40×59×24.25       | 33.1 CU FT |
| R2    | Roll Up | 56×23.5            | 60×28×24.25       | 23.6 CU FT |
| R3    | Roll Up | 46×54.5            | 48×59×24.25       | 39.7 CU FT |
|       |         | Rear Compartm      | nentation         |            |
| Compt | Doors   | Opening Dimensions | Inside Dimensions | Volume     |
| A1    | Roll Up | 44×31.5            | 48×36×21.25       | 22.2 CU FT |
|       |         |                    | То                | tal Volume |


215 CU Ft







| DIMENSIONS SHOWN ON THIS DRAWING ARE APPROXIMATE AND ARE SUBJECT TO MINOR DEVIATIONS DURING CONSTRUCTION. | CUSTOMER APPROVAL |      |  |         |      | J. Gordon      | N:\Engineering\Sutphen\sutphen-logo-big.png |
|---|-------------------|------|--|---------|------|----------------|---|
| IN THE EVENT OF A DISCREPANCY BETWEEN THE   | NAME:             |      |  |         |      | DATE:          |   |
| SUTPHEN SPECIFICATIONS AND DRAWING, THE   | -                 |      |  |         |      | 06/24/2015     | PS-04 Body                                  |
| SUTPHEN SPECIFICATIONS SHALL PREVAIL.   | TITLE:            |      |  |         |      | 00/24/2010     |   |
| 001111211012011107111011001171221112171121  |                   |      |  |         |      | MFG. FACILITY: |   |
| DRAWING IS FOR REFERENCE ONLY. SOME ITEMS   | DATE              | REV. | DESCRIPTION  | BY      | DATE | SUTPHEN EAST   | Stainless Steel                             |
| PROPOSED MAY NOT BE SHOWN OR NOTED.   | DATE:             |      | THIS PRINT IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTEREST OF SUTPHEN CORPO | RATION. |      | WHITE LAKE, NY | DWG. NO.: HS-XXXX                           |









| DIMENSIONS SHOWN ON THIS DRAWING ARE APPROXIMATE AND ARE SUBJECT TO MINOR |        | CUSTOMER APPROVAL |      |   |      | DRAWN BY:  J. Gordon | Ni\Engineering\Sutphen\sutphen-logo-big.png |
|---|--------|-------------------|------|---|------|----------------------|---|
| DEVIATIONS DURING CONSTRUCTION.   |        |                   |      |   |      |                      |   |
| IN THE EVENT OF A DISCREPANCY BETWEEN THE                                 | NAME:  |                   |      |   |      | DATE:                |   |
| SUTPHEN SPECIFICATIONS AND DRAWING, THE                                   |        |                   |      |   |      | DD/MM/YYYY           | FIRE DEPARTMENT                             |
| SUTPHEN SPECIFICATIONS SHALL PREVAIL.                                     | TITLE: |                   |      |   |      |                      | CITY, STATE                                 |
|   | ┥ —    |                   |      |   |      | MFG. FACILITY:       | - , -                                       |
| DRAWING IS FOR REFERENCE ONLY. SOME ITEMS                                 |        |                   | REV. | DESCRIPTION BY  | DATE | SUTPHEN EAST         | PRODUCT TYPE                                |
| PROPOSED MAY NOT BE SHOWN OR NOTED.                                       | DATE:  |                   |      | THIS PRINT IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTEREST OF SUTPHEN CORPORATION. |      | WHITE LAKE, NY       | DWG. NO.: HS-XXXX                           |
|   |        |                   |      |   |      |                      |   |




|       |         | ft Side Compar     | · · · · · · · · · · · · · · · · · · · |            |  |  |
|-------|---------|--------------------|---------------------------------------|------------|--|--|
| Compt | Doors   | Opening Dimensions | Inside Dimensions                     | Volume     |  |  |
|       |         |                    |                                       |            |  |  |
| L1    | Roll Up | 36×54.5            | 40×59×24.25                           | 33.1 CU FT |  |  |
| L2    | Roll Up | 56×23.5            | 60×28×23.25                           | 23.6 CU F1 |  |  |
| L3    | Roll Up | 46×54.5            | 48×59×23.25                           | 39.7 CU F1 |  |  |
|       | Rig     | ght Side Compai    | ^tmentation                           |            |  |  |
| Compt | Doors   | Opening Dimensions | Inside Dimensions                     | ns Volume  |  |  |
| R1    | Roll Up | 36×54.5            | 40×59×24.25/10.25                     | 23.7 CU F1 |  |  |
| R2    | Roll Up | 56×23.5            | 60×28×24.25/10.25                     | 10 CU FT   |  |  |
| R3    | Roll Up | 46×54.5            | 48×59×24.25/10.25                     | 28.5 CU F1 |  |  |
|       |         | Rear Compartm      | nentation                             | •          |  |  |
| Compt | Doors   | Opening Dimensions | Inside Dimensions                     | Volume     |  |  |
| A1    | Roll Up | 44×31.5            | 48×36×21.25                           | 22.2 CU F1 |  |  |
|       |         | Coffin Compart     | mentation                             |            |  |  |
| Compt | Doors   | Opening Dimensions | Inside Dimensions                     | Volume     |  |  |
|       | Hatch   | 60×22              | 147×23×20                             | 39.1 CU FT |  |  |
|       | Hatch   | 60×22              | 147×23×20                             | 39.1 CU FT |  |  |

Total Volume 258.9 CU Ft







| DIMENSIONS SHOWN ON THIS DRAWING ARE APPROXIMATE AND ARE SUBJECT TO MINOR | CUSTOMER APPROVAL |  |                    |      | DRAWN BY:  J. Gordon |   |   |
|---|-------------------|--|--------------------|------|----------------------|---|---|
| DEVIATIONS DURING CONSTRUCTION.   |                   |  |                    |      | J. Goldon            | N:\Engineering\Sutphen\sutphen-logo-big.png | , |
| IN THE EVENT OF A DISCREPANCY BETWEEN THE                                 | NAME:             |  |                    |      | DATE:                |   |   |
| SUTPHEN SPECIFICATIONS AND DRAWING, THE                                   |                   |  |                    |      | 06/24/2015           | PS-06 Body                                  |   |
| SUTPHEN SPECIFICATIONS SHALL PREVAIL.                                     | TITLE:            |  |                    |      | MFG. FACILITY:       | _   |   |
| DRAWING IS FOR REFERENCE ONLY. SOME ITEMS                                 | DATE:             | REV. DESCRIPTION   | BY                 | DATE | SUTPHEN EAST         | Stainless Steel                             |   |
| PROPOSED MAY NOT BE SHOWN OR NOTED.                                       | DATE:             | THIS PRINT IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTEREST OF SUI | TPHEN CORPORATION. |      | WHITE LAKE, NY       | DWG. NO.: HS-XXXX                           |   |




| Compt       | Doors   | Opening Dimensions                    | Inside Dimensions             | Volume     |  |  |  |  |  |
|-------------|---------|---------------------------------------|-------------------------------|------------|--|--|--|--|--|
| L1          | Roll Up | 46×54.5                               | 50×59×24.25                   | 41.4 CU F  |  |  |  |  |  |
| L2          | Roll Up | 56×23.5                               | 56×23.5 60×28×23.25 23        |            |  |  |  |  |  |
| L3          | Roll Up | 46×54.5                               | 46x54.5 48x59x23.25 39.7 CU F |            |  |  |  |  |  |
| Compt Doors |         | ght Side Compar<br>Opening Dimensions | Inside Dimensions             | Volume     |  |  |  |  |  |
| R1          | Roll Up | 46×54.5 50×59×24.25                   |                               | 41.4 CU F1 |  |  |  |  |  |
| R2          | Roll Up | 56×23.5                               | 60×28×24.25                   | 23.6 CU F  |  |  |  |  |  |
| R3          | Roll Up | 46×54.5                               | 48×59×24.25                   | 39.7 CU F  |  |  |  |  |  |
|             |         | Rear Compartm                         | nentation                     |            |  |  |  |  |  |
| Compt       | Doors   | Opening Dimensions                    | Inside Dimensions             | Volume     |  |  |  |  |  |
|             |         |                                       | 48x36x21,25 22,2 CU           |            |  |  |  |  |  |






| DIMENSIONS SHOWN ON THIS DRAWING ARE APPROXIMATE AND ARE SUBJECT TO MINOR        |         | CUSTOMER APPROVAL |      |   |     | DRAWN BY:  J. Gordon |           | MASS of the same o |  |
|--|---------|-------------------|------|---|-----|----------------------|-----------|--|--|
| DEVIATIONS DURING CONSTRUCTION.  |         |                   |      |   |     | J. Goldon            |           | N:\Engineering\Sutphen\sutphen-logo-big.png  |  |
| IN THE EVENT OF A DISCREPANCY BETWEEN THE  | NAME:   |                   |      |   |     | DATE:                |           |  |  |
| SUTPHEN SPECIFICATIONS AND DRAWING, THE<br>SUTPHEN SPECIFICATIONS SHALL PREVAIL. | TITLE:  |                   |      |   |     | 06/24/2015           |           | PS-07 Body   |  |
|  |         |                   |      |   |     | MFG. FACILITY:       |           |  |  |
| DRAWING IS FOR REFERENCE ONLY. SOME ITEMS  | DATE:   |                   | REV. | DESCRIPTION BY  | DAT |                      |           | Stainless Steel  |  |
| PROPOSED MAY NOT BE SHOWN OR NOTED.  | DATE. — |                   |      | THIS PRINT IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTEREST OF SUTPHEN CORPORATION. |     | WHITE LAKE, N'       | DWG. NO.: | HS-XXXX  |  |



DESCRIPTION

THIS PRINT IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTEREST OF SUTPHEN CORPORATION.



DIMENSIONS SHOWN ON THIS DRAWING ARE APPROXIMATE AND ARE SUBJECT TO MINOR DEVIATIONS DURING CONSTRUCTION.

IN THE EVENT OF A DISCREPANCY BETWEEN THE

SUTPHEN SPECIFICATIONS AND DRAWING, THE SUTPHEN SPECIFICATIONS SHALL PREVAIL.

DRAWING IS FOR REFERENCE ONLY. SOME ITEMS PROPOSED MAY NOT BE SHOWN OR NOTED.

CUSTOMER APPROVAL

REV.

NAME:

DATE:

|       |         | ft Side Compar     |                     |            |  |
|-------|---------|--------------------|---------------------|------------|--|
| Compt | Doors   | Opening Dimensions | Inside Dimensions   | Volume     |  |
| L1    | Roll Up | 46×54.5            | 50×59×24.25         | 41.4 CU FT |  |
| L2    | Roll Up | 56×23.5            | 60×28×23.25         | 23.6 CU FT |  |
| L3    | Roll Up | 46×54.5            | 48×59×23.25         | 39.7 CU FT |  |
|       |         | ght Side Compai    |                     |            |  |
| Compt | Doors   | Opening Dimensions | Inside Dimensions   | Volume     |  |
| R1    | Roll Up | 46×54.5            | 50×59×24.25/10.25   | 29.7 CU FT |  |
| R2    | Roll Up | 56×23.5            | 60×28×24.25/10.25   | 10 CU FT   |  |
| R3    | Roll Up | 46×54.5            | 48×59×24.25/10.25   | 28.5 CU FT |  |
|       |         | Rear Compartm      | nentation           |            |  |
| Compt | Doors   | Opening Dimensions | Inside Dimensions   | Volume     |  |
|       | Roll Up | 44×31.5            | 44×31.5 48×36×21.25 |            |  |

DRAWN BY:

MFG. FACILITY:

BY

DATE

J. Gordon

06/24/2015


SUTPHEN EAST WHITE LAKE, NY 195.1 CU Ft

N:\Engineering\Sutphen\sutphen-logo-big.png


PS-08 Body


Stainless Steel

HS-XXXX




| Compt | Doors   | Opening Dimensions                 | Inside Dimensions           | Volume               |  |  |
|-------|---------|------------------------------------|-----------------------------|----------------------|--|--|
|       |         |                                    |                             |                      |  |  |
| L1    | Roll Up | 46×54.5                            | 50×59×24.25                 | 41.1 CU FT           |  |  |
| L2    | Roll Up | 56×23.5                            | 60×28×23.25                 | 23.6 CU FT           |  |  |
| L3    | Roll Up | 46×54.5                            | 48×59×23.25                 | 39.7 CU FT           |  |  |
|       | Rig     | ght Side Compar                    | ^tmentation                 |                      |  |  |
| Compt | Doors   | Opening Dimensions                 | Inside Dimensions           | Volume               |  |  |
| R1    | Roll Up | 46×54.5                            | 50×59×24.25/10.25           | 29.7 CU FT           |  |  |
| R2    | Roll Up | 56×23.5                            | 60×28×24.25/10.25           | 10 CU FT             |  |  |
| R3    | Roll Up | 46×54.5                            | 48×59×24.25/10.25           | 28.5 CU FT           |  |  |
|       |         | Rear Compartm                      | nentation                   |                      |  |  |
| Compt | Doors   | Opening Dimensions                 | Inside Dimensions           | Volume               |  |  |
| A1    | Roll Up | 44×31.5                            | 48×36×21.25                 |                      |  |  |
|       |         |                                    |                             |                      |  |  |
|       | 1       | Coffin Compart                     | mentation                   |                      |  |  |
| Compt | Doors   | Coffin Compart  Opening Dimensions | mentation Inside Dimensions | Volume               |  |  |
|       |         |                                    |                             | Volume<br>41.8 CU FT |  |  |
|       | Doors   | Opening Dimensions                 | Inside Dimensions           |                      |  |  |





| DIMENSIONS SHOWN ON THIS DRAWING ARE APPROXIMATE AND ARE SUBJECT TO MINOR |        | CUSTOMER APPROVAL |      |   |      | DRAWN BY:  J. Gordon | Ni\Engineering\Sutphen\sutphen-logo-big.png  |
|---|--------|-------------------|------|---|------|----------------------|--|
| DEVIATIONS DURING CONSTRUCTION.   |        |                   | ]    |   |      |                      | The state of the s |
| IN THE EVENT OF A DISCREPANCY BETWEEN THE                                 | NAME:  |                   |      |   |      | DATE:                |  |
| SUTPHEN SPECIFICATIONS AND DRAWING, THE                                   |        |                   |      |   |      | 06/24/2015           | PS-09 Body   |
| SUTPHEN SPECIFICATIONS SHALL PREVAIL.                                     | TITLE: |                   |      |   |      |                      | ·  |
|   | _      |                   |      |   |      | MFG. FACILITY:       |  |
| DRAWING IS FOR REFERENCE ONLY. SOME ITEMS                                 | DATE:  |                   | REV. | DESCRIPTION BY  | DATE | SUTPHEN EAST         | Stainless Steel  |
| PROPOSED MAY NOT BE SHOWN OR NOTED.                                       | DATE   |                   |      | THIS PRINT IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTEREST OF SUTPHEN CORPORATION. |      | WHITE LAKE, NY       | DWG. NO.: HS-XXXX  |




| Compt | Doors   | Opening Dimensions | Inside Dimensions   | Volume     |  |  |  |  |
|-------|---------|--------------------|---------------------|------------|--|--|--|--|
| L1    | Roll Up | 26×54.5            | 30×59×24.25         | 24.8 CU FT |  |  |  |  |
| L2    | Roll Up | 56×23.5            | 60×28×23.25         | 23.6 CU FT |  |  |  |  |
| L3    | Roll Up | 46×54.5            | 46×54.5 48×59×23.25 |            |  |  |  |  |
|       | Riç     | ght Side Compar    | ^tmentation         |            |  |  |  |  |
| Compt | Doors   | Opening Dimensions | Inside Dimensions   | Volume     |  |  |  |  |
| R1    | Roll Up | 26×25.5            | 30×30×24.25         | 12.6 CU FT |  |  |  |  |
| R3    | Roll Up | 46×25.5            | 48×30×24.25         | 20.2 CU FT |  |  |  |  |
|       |         | Rear Compartm      | nentation           |            |  |  |  |  |
| Compt | Doors   | Opening Dimensions | Inside Dimensions   | Volume     |  |  |  |  |
| A1    | Roll Up | 44×31.5            | 48x36x21.25         | 22.2 CU FT |  |  |  |  |


143.4 CU Ft




| DIMENSIONS SHOWN ON THIS DRAWING ARE APPROXIMATE AND ARE SUBJECT TO MINOR |        | CUSTOMER APPROVAL |      |   |      | DRAWN BY:  J. Gordon | N:\Engineering\Sutphen\sutphen-logo-big.png |
|---|--------|-------------------|------|---|------|----------------------|---|
| DEVIATIONS DURING CONSTRUCTION.   |        |                   |      |   |      |                      |   |
| IN THE EVENT OF A DISCREPANCY BETWEEN THE                                 | NAME:  |                   |      |   |      | DATE:                |   |
| SUTPHEN SPECIFICATIONS AND DRAWING, THE                                   |        |                   | _    |   |      | 06/25/2015           | PS-10 Body                                  |
| SUTPHEN SPECIFICATIONS SHALL PREVAIL.                                     | TITLE: |                   |      |   |      | 33/23/2313           | ,   |
|   |        |                   | -    |   |      | MFG. FACILITY:       |   |
| DRAWING IS FOR REFERENCE ONLY. SOME ITEMS                                 | DATE:  |                   | REV. | DESCRIPTION BY  | DATE | SUTPHEN EAST         | Stainless Steel                             |
| PROPOSED MAY NOT BE SHOWN OR NOTED.                                       | DATE.  |                   | _    | THIS PRINT IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTEREST OF SUTPHEN CORPORATION. |      | WHITE LAKE, NY       | DWG. NO.: HS-XXXX                           |




| Compt | Doors                       | Opening Dimensions                   | Inside Dimensions   | Volume     |  |  |  |  |  |
|-------|-----------------------------|--------------------------------------|---------------------|------------|--|--|--|--|--|
| L1    | Roll Up                     | 36×54.5                              | 40×59×24.25         | 33.1 CU FT |  |  |  |  |  |
| L2    | Roll Up                     | 56×23.5                              | 60×28×23,25         | 23.6 CU FT |  |  |  |  |  |
| L3    | Roll Up                     | 46×54.5                              | 39.7 CU FT          |            |  |  |  |  |  |
|       | Right Side Compartmentation |                                      |                     |            |  |  |  |  |  |
| Compt | Doors                       | Opening Dimensions Inside Dimensions |                     | Volume     |  |  |  |  |  |
| R1    | Roll Up                     | 36×25.5                              | 40×30×24.25         | 16.8 CU FT |  |  |  |  |  |
| R3    | Roll Up                     | 46×25.5                              | 48×30×24.25         | 20.2 CU FT |  |  |  |  |  |
|       |                             | Rear Compartm                        | nentation           |            |  |  |  |  |  |
| Compt | Doors                       | Opening Dimensions                   | Inside Dimensions   | Volume     |  |  |  |  |  |
| A1    | Roll Up                     | 44×31.5                              | 44×31.5 48×36×21.25 |            |  |  |  |  |  |
|       |                             |                                      | _                   | otal Volum |  |  |  |  |  |





| DIMENSIONS SHOWN ON THIS DRAWING ARE APPROXIMATE AND ARE SUBJECT TO MINOR | CUSTOMER APPROVAL |      |   |         |      | J. Gordon      | Ni\Engineering\Sutphen\sutphen-logo-big.png |
|---|-------------------|------|---|---------|------|----------------|---|
| DEVIATIONS DURING CONSTRUCTION.   |                   |      |   |         |      |                |   |
| IN THE EVENT OF A DISCREPANCY BETWEEN THE                                 | NAME:             |      |   |         |      | DATE:          |   |
| SUTPHEN SPECIFICATIONS AND DRAWING, THE                                   |                   |      |   |         |      | 06/25/2015     | PS-11 Body                                  |
| SUTPHEN SPECIFICATIONS SHALL PREVAIL.                                     | TITLE:            |      |   |         |      | MFG. FACILITY: |   |
| DRAWING IS FOR REFERENCE ONLY. SOME ITEMS                                 | DATE:             | REV. | DESCRIPTION   | BY      | DATE | SUTPHEN EAST   | Stainless Steel                             |
| PROPOSED MAY NOT BE SHOWN OR NOTED.                                       | DATE:             |      | THIS PRINT IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTEREST OF SUTPHEN CORPOR | RATION. |      | WHITE LAKE, NY | DWG. NO.: HS-XXXX                           |



DESCRIPTION

THIS PRINT IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTEREST OF SUTPHEN CORPORATION.

REV.

DEVIATIONS DURING CONSTRUCTION.

IN THE EVENT OF A DISCREPANCY BETWEEN THE


SUTPHEN SPECIFICATIONS AND DRAWING, THE SUTPHEN SPECIFICATIONS SHALL PREVAIL.

DRAWING IS FOR REFERENCE ONLY. SOME ITEMS

PROPOSED MAY NOT BE SHOWN OR NOTED.

NAME:

DATE:



| Left Side Compartmentation  |              |                    |                 |              |  |  |  |  |  |
|-----------------------------|--------------|--------------------|-----------------|--------------|--|--|--|--|--|
| Compt                       | Doors        | Opening Dimensions | Inside Dimensio | ons Volume   |  |  |  |  |  |
|                             |              |                    |                 |              |  |  |  |  |  |
| L1                          | Roll Up      | 46×54.5            | 50×59×24.25     | 5 41.4 CU FT |  |  |  |  |  |
| L2                          | Roll Up      | 56×23.5            | 60×28×23.25     | 5 23.6 CU FT |  |  |  |  |  |
| L3                          | Roll Up      | 46×54.5            | 5 39.7 CU FT    |              |  |  |  |  |  |
| Right Side Compartmentation |              |                    |                 |              |  |  |  |  |  |
| Compt                       | Doors        | Opening Dimensions | Inside Dimensio | ons Volume   |  |  |  |  |  |
| R1                          | Roll Up      | 46×25.5            | 50×30×24.25     | 5 21.1 CU FT |  |  |  |  |  |
| R3                          | Roll Up      | 46×25.5            | 48×30×24.25     | 5 20.2 CU FT |  |  |  |  |  |
|                             |              | Rear Compartm      | nentation       | ·            |  |  |  |  |  |
| Compt                       | Doors        | Opening Dimensions | Inside Dimensio | ons Volume   |  |  |  |  |  |
| A1                          | Roll Up      | 44×31.5            | 48×36×21.25     | 22.2 CU FT   |  |  |  |  |  |
|                             | Total Volume |                    |                 |              |  |  |  |  |  |

| l                           | Roll Up | 46×54.5            | 50×59×24.25       | 41.4 CU FT |  |  |  |  |  |
|-----------------------------|---------|--------------------|-------------------|------------|--|--|--|--|--|
| 2                           | Roll Up | 56×23.5            | 60×28×23.25       | 23.6 CU FT |  |  |  |  |  |
| 3                           | Roll Up | 46×54.5            | 48×59×23.25       | 39.7 CU FT |  |  |  |  |  |
| Right Side Compartmentation |         |                    |                   |            |  |  |  |  |  |
| рt                          | Doors   | Opening Dimensions | Inside Dimensions | Volume     |  |  |  |  |  |
|                             |         |                    |                   |            |  |  |  |  |  |
| ]                           | Roll Up | 46×25.5            | 50×30×24.25       | 21.1 CU FT |  |  |  |  |  |
| 3                           | Roll Up | 46×25.5            | 48×30×24.25       | 20.2 CU FT |  |  |  |  |  |
| Rear Compartmentation       |         |                    |                   |            |  |  |  |  |  |
| рt                          | Doors   | Opening Dimensions | Inside Dimensions | Volume     |  |  |  |  |  |
|                             |         |                    |                   |            |  |  |  |  |  |

151.9 CU Ft

N:\Engineering\Sutphen\sutphen-logo-big.png

PS-12 Body

Stainless Steel

HS-XXXX

DATE:


BY

DATE

MFG. FACILITY:


06/25/2015


SUTPHEN EAST WHITE LAKE, NY



|  | Le               | ·ft Side Compar     | rtmentation                   |                              |  |  |  |
|--|------------------|---------------------|-------------------------------|------------------------------|--|--|--|
| Compt  | Doors            | Opening Dimensions  | Inside Dimensions             | Volume                       |  |  |  |
| L1   | Roll Up          | 46×54.5             | 41.4 CU FT                    |                              |  |  |  |
| L2   | Roll Up          | 46×54.5             | 50×59×24.25                   | 41,4 CU FT                   |  |  |  |
| L3   | Roll Up          | 56×23.5 60×28×24.25 |                               | 23.6 CU FT                   |  |  |  |
| Right Side Compartmentation  Compt Doors Opening Dimensions Inside Dimensions Volume |                  |                     |                               |                              |  |  |  |
| Compt  | Doors            | Opening Dimensions  | Inside Dimensions             | Volume                       |  |  |  |
| Compt<br>R1  | Doors<br>Roll Up | Opening Dimensions  | Inside Dimensions 50x59x24.25 |                              |  |  |  |
| ·  |                  |                     |                               | Volume 41.4 CU FT 41.4 CU FT |  |  |  |

212.7 CU Ft





| DIMENSIONS SHOWN ON THIS DRAWING ARE APPROXIMATE AND ARE SUBJECT TO MINOR |            | CUSTOMER APPROVAL |      |   |      |      | DRAWN BY:      |           |   |
|---|------------|-------------------|------|---|------|------|----------------|-----------|---|
| DEVIATIONS DURING CONSTRUCTION.   |            |                   |      |   |      |      | J. Gordon      |           | N:\Engineering\Sutphen\sutphen-logo-big.png |
|   | NAME:      |                   |      |   |      |      | DATE           | 1         |   |
| IN THE EVENT OF A DISCREPANCY BETWEEN THE                                 | IV/ (IVI L |                   |      |   |      |      | 5/112.         | L         | DO 40 D - 1-                                |
| SUTPHEN SPECIFICATIONS AND DRAWING, THE                                   |            |                   |      |   |      |      | 06/24/2015     |           | PS-13 Body                                  |
| SUTPHEN SPECIFICATIONS SHALL PREVAIL.                                     | TITLE: _   |                   |      |   |      |      | MFG. FACILITY: | -         |   |
| DRAWING IS FOR REFERENCE ONLY. SOME ITEMS                                 | DATE.      |                   | REV. | DESCRIPTION   | BY   | DATE | SUTPHEN EAST   |           | Stainless Steel                             |
| PROPOSED MAY NOT BE SHOWN OR NOTED.                                       | DATE:      |                   | '    | THIS PRINT IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE LISED IN ANY WAY DETRIMENTAL TO THE INTEREST OF SUTPHEN CORPORA | TION |      | WHITE LAKE, NY | DWG. NO.: | HS-XXXX                                     |